



SlimLine

32", 40", 46" Free Standing Sign
Data Sheet

ASI Digital Signage System



TABLE OF CONTENTS

Product Overview	3
Standard Features and Options	4
Service and Maintenance	4
Size Specifications	5
Sign Dimensions	6
Mounting Diagrams	8

ASI Signage
8181 Jetstar Drive,
Suite 100
Irving, TX 75063
214.352.9140
asisignage.com

Product Overview

The digital signs can be delivered with or without an MMC controller. This document describes the digital signs with and without the MMC controller integrated. If no operating system (OS) or sign application is specified the MMC Controller will be delivered without any OS installed on it. The Controller does not have a CD-Rom drive and installation of OS and application software from CD-Rom requires an external USB CD-Rom drive or other media which can be used for this purpose and can communicate to a USB port. In the wall mounted panel the controller can only be integrated in the version with heading.

The digital signs includes a media player which is able to show slideshow with JPEG pictures, Video, Flash and MS PowerPoint slide show.

SlimLine Digital Free Standing Sign

Mechanically, the sign has an outer cabinet and an inner display unit. This secures the compatibility between old and future display units that will be built to fit into the outer cabinet. Also for service purposes it is a big advantage.

Specifications

The following pages include mechanical and material specification for 32", 40" and 46" SlimLine Digital Free Standing Displays

Size specification

Throughout this document measurements will be given in both millimetres and inches. The metric measurements shown in brackets are exact whereas the English standard is calculated.

Logistics

SlimLine Digital Display signs are produced in Denmark by Modulex and ordered as a complete product.

The operating systems for the SlimLine Digital Display solution and will be preinstalled when delivered. Extension of hardware warranty and software maintenance is recommended, but shall be ordered separately.

Standard Features and Options

Typical use

- Overview signs
- Directional signs
- Information signs
- Digital Art "Chromalex"
- Branding and commercials

Benefits

- Unique design
- Frames in client color
- Text and graphic on frame and header panel
- Runs slideshow as stand-alone unit
- 3 years warranty on the display unit

Warranty

1 year limited return to depot warranty covering parts and workmanship. Optional 2 year (for a total of 3 years) warranty available. Optional extended software maintenance also available.

Service and Maintenance

Dismounting:

Panels are removed by pulling them perpendicular to the panel surface. The Panel can be controlled with the remote controlled delivered with the unit or from the back of the panel.

Cleaning:

When necessary the construction must be dismantled and cleaned with a vacuum cleaner.

Painted surfaces:

Use a soft cloth moistened with a mild window detergent.

Displays (polarizers):

Use absorbent cotton or a soft cloth. Recommended cleaners are water, IPA (Isopropyl Alcohol) or Hexane.

Do not use Ketone type of materials, e.g. Acetone, Ethyl alcohol, Toluene, Ethyl acid or Methyl chloride. It might cause permanent damage to the polarizer due to chemical reaction.

Size Specifications

32" Free Standing

Art. No.	Model
35134500	32" Cabinet for Digital Monitor, Free Standing Monolith (Portrait)
35171200	32" Monolith Unit, Free Standing Monolith (Portrait)
351513	Front Panels for 32" Digital Monitor
351514	Front Panels for 32" Free Standing Monolith

40" Free Standing


Art. No.	Model
35152200	40" Cabinet for Digital Monitor, Free Standing Monolith (Portrait)
35172200	40" Monolith Unit, Free Standing Monolith (Portrait)
351523	Front Panels for 40" Digital Monitor
351524	Front Panels for 40" Free Standing Monolith

46" Free Standing


Art. No.	Model
35153200	46" mm Digital Monitor, Free Standing Monolith (Portrait)
35173200	46" Monolith Unit, Free Standing Monolith (Portrait)
351533	Front Panels for 46" Digital Monitor
351534	Front Panels for 46" Free Standing Monolith

Sign Dimensions

32" Free Standing




40" Free Standing



Sign Dimensions

46" Free Standing



Mounting

In order to take care of safety regulations the monolith must be fixed to the floor to prevent the monolith from tipping over.

